

LIS courseSection ⇒ Kimono CourseSection

Attribute (Kimono Data Scheme)	Rule (LIS message XPath)
source_id	sourcedId
\$sys.source_id.LIS	sourcedId
local_id	sourcedId
name	courseSectionRecord/courseSection/label/textString
label	courseSectionRecord/courseSection/label/textString
title	courseSectionRecord/courseSection/title/textString
short_description	courseSectionRecord/courseSection/catalogDescription/shortDescription/textString
long_description	courseSectionRecord/courseSection/catalogDescription/longDescription/textString
\$terms[],\$sys.source_id.LIS	courseSectionRecord/courseSection/academicSession/textString

LIS groupMembership ⇒ Kimono CourseSectionMembership

Attribute (Kimono Data Scheme)	Rule (LIS message XPath)
source_id	sourcedId
\$sys.source_id.LIS	sourcedId
\$person.\$sys.source_id.LIS	membershipRecord/membership/member/personSourcedId
\$section.\$sys.source_id.LIS	membershipRecord/membership/collectionSourcedId
\$roles	lisRoles('membershipRecord/membership/member/role')

LIS Group ⇒ Kimono Institute

Attribute (Kimono Data Scheme)	Rule (LIS message XPath)
source_id	sourcedId
\$sys.source_id.LIS	sourcedId
name	groupRecord/group/description/shortDescription

LIS Person ⇒ Kimono Person

Attribute (Kimono Data Scheme)	Rule (LIS message XPath)
source_id	sourcedId
\$sys.source_id.LIS	sourcedId
\$sys.person_type	Student
local_id	sourcedId
first_name	personRecord/person/name/partName[instanceName/textString[normalize-space(text()='First']]/instanceValue/textString
name.first	personRecord/person/name/partName[instanceName/textString[normalize-space(text()='First']]/instanceValue/textString
last_name	personRecord/person/name/partName[instanceName/textString[normalize-space(text()='Last']]/instanceValue/textString
name.last	personRecord/person/name/partName[instanceName/textString[normalize-space(text()='Last']]/instanceValue/textString
email	personRecord/person/contactinfo[contactinfoType/instanceValue/textString[normalize-space(text()='EmailPrimary']]/contactinfoValue/textString

LIS Group ⇒ Kimono Term

Attribute (Kimono Data Scheme)	Rule (LIS message XPath)
source_id	sourcedId
\$sys.source_id.LIS	sourcedId
sis_term_id	sourcedId
name	groupRecord/group/description/shortDescription
title	groupRecord/group/description/shortDescription
description	groupRecord/group/description/longDescription
start_date_raw	groupRecord/group/timeframe/begin
end_date_raw	groupRecord/group/timeframe/end
start_date	substring-before(groupRecord/group/timeframe/begin,'T')
end_date	substring-before(groupRecord/group/timeframe/end,'T')